

# **480**

#### The VMAX480 Proven Better, Faster, Smarter

More of what you have come to expect from the VMAX family of products.







Value Max • Maximum Value • Maximum Performance

We introduce the VMAX480 Proven Better, Faster, Smarter. It is an upgrade of the advanced H.264 Linux Embedded digital video recorder VMAX. The VMAX480 has all the features of VMAX plus more. The VMAX480 is available in 8 or 16 channel configurations with basic storage from 500 GB to 4 TB.

### **Features New to the VMAX Products**


- •8 and 16 Ch Units
- •120fps @ D1, 480fps @ CIF
- HDMI & VGA Output Simultaneously
- POS Support
- DVD-RW Built-In
- Looping Output (Optional)
- Mobile Device Quad View and PTZ Control
- Text Notifications with Snapshots

VMAX480 will text an event notification with a snapshot to your mobile phone.

## **Features New to the VMAX Products**

#### Email Event Notifications with Snapshots

VMAX480 will email an event notification with a snapshot.



- Advanced H.264 Linux Embedded DVR
- ·Live, Playback, Recording, Backup, Network
- One Touch Video Backup

During Playback mode, press the *Instant Backup* button on the front panel to begin backup immediately.



#### One Touch Reverse Playback

Click the *Instant Playback* button on the front panel to play the latest video clip instantly.



#### Two DNS Servers

Offers two DNS Server Settings. One for the Preferred DNS Server and the other for emergency situations, like if the

main one is down. NETWORK Network DDNS Notification NetworkType Dynamic IP IP Detect **IP Detect Progress** 0 IP Address 192,168,0,200 Subnet Mask 255.255.255.0 Gateway 192,168,0,254 DNS Server 1 192.168.1.1 DNS Server 2 0.0.0.0 CEMEAMORIS FOR SUUDO Web Port 80 Bandwidth Limit 99 Mbps Use UPNP Auto Private IP Setup (NAT Traversal)

Help

Save


Cancel

Default


Automatic Private IP Addressing

Only provided by Digital Watchdog. Check the *Auto Private IP Setup* box, and your VMAX480 will automatically setup a

router.



•DVR Calculation and Auto Recording Configuration VMAX480 automatically calculates and gives the best configuration settings for the desired number of days.




•Screen Saver to Protect Monitor Screen



#### Help Menu on Major Functions

DW's Help Menu will help you to setup several important settings without the user manual. Just click the yellow *Help* button. DW is the first to use help menus.




#### Call Monitor

Send out the camera displays to different spot monitors connected to your VMAX480, or sequence cameras from the connected spot monitors.

- Simple & Free DDNS Support
- NTP (Network Time Protocol) Support
- Digital Signature Verification (Watermark)
- Network Bandwidth Control
- DVR Health Check w/ E-mail Notification
- Configuration Import/Export
- 4 Sensor Input, 1 Sensor Output

Auto or Manual Firmware Upgrade Available
Upgrade the system easily via DVD, CD, USB, or FTP Server.





- DVD-RW Built-in
- Pivot Central Management Software, up to 128Ch
- MAC Compatible Remote Software
- USB Mouse, IR Remote Control GUI
- 5 Year Limited Warranty

### Record

 In the Record Setup menu, configure various record settings such as Continuous, Event, Pre-/Post-Alarm, or a combination of Continuous and Event for each camera


channel.



#### Record


Create Two Recording Schedules

Setup Schedule 1 and Schedule 2. A combination of two schedules allows for a more detailed record setup for each



### Search

•Search for a certain file within the recorded video data. Our Date/Time Search feature gives users a color-coded data of recorded video for a specific date.



# Backup

•Archive a video clip recorded for a certain period on a selected channel or channels.



•Free VMAX480 Applications for Apple, Android, and Blackberry









 Watch a single channel live view or four split channel live view of the connected site(s).






 Search any single channel from your mobile phone and take a snapshot instantly.





Use your fingers to control a connected PTZ camera.







### **Model Numbers**

#### Without DVD-RW

0	<b>6</b> 5	10	
O	ha		eı

- DW-VMAX480 8500
- **•DW-VMAX480 81T**
- DW-VMAX480 82T
- DW-VMAX480 83T
- DW-VMAX480 84T

#### 16 Channel

- **•DW-VMAX480 16500**
- DW-VMAX480 161T
- DW-VMAX480 162T
- DW-VMAX480 163T
- DW-VMAX480 164T

### **Model Numbers**

#### With DVD-RW

- 8 Channel
- **•DW-VMAX480D 8500**
- **•DW-VMAX480D 81T**
- **•DW-VMAX480D 82T**
- **•DW-VMAX480D 83T**
- **•DW-VMAX480D 84T**

- 16 Channel
- **•DW-VMAX480D 16500**
- DW-VMAX480D 161T
- •DW-VMAX480D 162T
- •DW-VMAX480D 163T
- DW-VMAX480D 164T

# **Optional Accessories**

- •DW-VR19E: 19" Rack Mountable Ears
- DW-VLOOP: Looping Output Cable Set



Value Max • Maximum Value • Maximum Performance

#### **Head Office**

5436 W. Crenshaw Street, Tampa, FL 33634 Toll Free: 866.446.3595 Fax: 813.888.9262

#### **Sales Office**

9551 Irvine Center Drive Irvine, CA 92618

